


**bergo**  
FLOORING

WORLD LEADER IN  
MULTIFUNCTIONAL  
FLOOR TILES

business area

# MARINE

Deck coverings  
for an attractive  
and professional  
appearance



**Bergo EXTREME™**  
Conforms to relevant  
MED and IMO Resolutions

## Slippery ship decks causing unsafe experiences for the passengers


Slippery decks resulting in falls is one of the most common accidents that occur on ship's deck. Another problem for shipowners is the costly renovation and re-painting of the decks, which must be done during the outdoor season when passengers expect to enjoy the decks.



*The situation on many ship decks, resulting in unsafe and a non-inspiring experience for passengers.*




*A quick solution to a more attractive and professional appearance, resulting in better customer experiences and a safe journey.*



## Why perforated design?

Thanks to the perforated surface and the underneath design BERGO has an excellent drainage capability.

No puddles! The design with the built-in air gap insulates the surface underneath so the floor is more comfortable to walk on and dries up quickly after rain. This design, which is also profiling, provides a safe, cost-effective and practical solution. Also a practical solution for pool areas!






# Bergo Excellence™

Bergo Excellence™ can be found worldwide on major cruise liners and ferry operators such as Princess Cruises, NCL and Hurtigruten. Bergo Excellence has a rough surface with knobs, which yields extra friction and reduces the risk of ice formation in cold climates.

**Usage areas** Bergo Extreme™ is heavy duty safety flooring ideal for indoor, outdoors and wet areas. It offers slip resistancy in areas such as passenger balconies, pool areas, laundry rooms, engine rooms, freezer rooms, etc.

### Performance Attributes

- Environmentally-friendly: BERGO EXTREME is 100% recyclable.
- Heavy duty, slip-resistant and flame retardant.



Please note that the color in this print may not exactly match reality.




BERGO EXCELLENCE, SYSTEM 1-FLOORS (30 x 30 cm) are sound, technical products, designed for professional installers  
 Surface with "knobs". Height: 14,5 mm.  
 Material: Environmentally friendly recyclable UV-stabilised PP-composite.  
 Packaging: 5 m<sup>2</sup> / box = 55 tiles. (180 m<sup>2</sup> / pallet) or in preassembled sheets (4x3 tiles) = 1,09 m<sup>2</sup>. (81,8 m<sup>2</sup> / pallet.)

SYSTEM 1



# Bergo Extreme™

## A floor that confirms to relevant MED and IMO Resolutions.



Bergo Extreme™ features a special material mix of raw material and design providing excellent wear durability. The floor is developed for ship interiors and passenger balconies on mega-yacht, ferries and cruise ships.

**Usage areas** Bergo Extreme™ is heavy duty safety flooring ideal for indoor, outdoors and wet areas. It offers slip resistancy in areas such as passenger balconies, pool areas, laundry rooms, engine rooms, freezer rooms, etc.

### Performance Attributes

- Environmentally-friendly: BERGO EXTREME is 100% recyclable.
- Heavy duty, slip-resistant and flame retardant.
- Conforms to MED and IMO Resolutions (Module B & D, EU 2019/1397).



Please note that the color in this print may not exactly match reality.



BERGO EXTREME, SYSTEM 1-FLOORS (30 x 30 cm) are sound, technical products, designed for professional installers.  
 Surface with "knobs". Height: 14,5 mm.  
 Material: Environmentally friendly recyclable UV-stabilised PA-composite. Conforms to MED (B, D) and IMO Resolutions.  
 Packaging: 5 m<sup>2</sup> / box = 55 tiles. (180 m<sup>2</sup> / pallet) or in preassembled sheets (4x3 tiles) = 1,09 m<sup>2</sup>. (81,8 m<sup>2</sup> / pallet.)

SYSTEM 1



Our business area MARINE has flooring specially developed for extremely tough environments on the decks of ships.

## Advantages

Flooring is an entire science. When evaluating a deck covering for a vessel, you have to consider factors such as: Installation, appearance, maintenance, cleaning, sound absorbance, durability and removal.


BERGO Excellence is a deck covering which fulfils the requirements for floorings that are exposed to harsh weather, strong sunlight, rain, cold and ice.

BERGO offers a high performance level considering all the above factors and fitting the floor yourself could not be easier, another big advantage.


By installing BERGO you protect the painted deck and prolong the intervals between expensive repainting significantly. BERGO also has sound absorbing characteristics and it is not essential for the sub floor to be perfectly level prior installation. BERGO offers excellent drainage capability due to the perforated pattern and the underneath design.

## Easy to install and move

BERGO Excellence is easy to install. Tapping a rubber mallet or similar over the protruding rings easily interlocks the tiles together. NO fastening, special tools, glue or screws are needed. Use a jig- or circular-saw to cut the tiles for a perfect fit.



Pre-assembled sections  
1,2 x 0,9 m



## Disassembly-Tool


BERGO Excellence is tough and takes wear and tear, without losing its attractive appearance. The ingenious design allows for the floor to be moved quickly. The floor can be taken apart by using the disassembly-tool in case a major cleaning job is required. In case one tile is damaged you can change an individual tile by using the replacement-tool.

## Accessories

- Edge strips – 300 x 55 mm, for a smart and safe finish.
- Corner strips – 55 x 55 mm.
- Expansion strips – 300 x 75 mm. Expansion Strips will allow expansion of the floor material in varying temperature changes.
- Expansion Cross-piece – 75 x 75 mm, to be used as two lines of the above Expansion strips intersect with each other.
- Disassembly-tool – for easy disassembly and rearrangement.





Expansion strips and  
Expansion Cross-piece.



Edge strips and  
Corner strips are suitable  
for installation at  
stairways.



Disassembly-tool






## Excellence drainage capability

BERGO Excellence allows water and moisture on the subfloor to flow freely, which means that you have a dry attractive appearance and the passengers will not bring in dirt onto the cabin carpets.

In this way you will save time cleaning the cabins, as well as reduce costs, because carpets need to be replaced less frequently.



# Where activities come to life

Ideal for sports and activities, attracting people to play and exercise during the trip.

BERGO SPORT FLOORS are available in several colours with smart accessories.

The excellent drainage capability and special design will give a high usage ratio and the court will bring good economy to the investor with minimal maintenance.

BERGO MULTISPORT with the level of friction provides stop and go characteristics which are perfect for all kinds of sports.

BERGO TENNIS is a well established surface, approved and classified by ITF and the Swedish Tennis Association.



## THIS IS BERGO

**We have been making flooring for 50 years with one clear objective - to make beautiful, multifunctional flooring.**

Really durable floors that work in all sorts of settings. The Eco-friendly production takes place at our factory in Anderstorp, Sweden, without any environmentally harmful emissions. Bergo is active within five business areas: Home, Public, Sports, Marine and Event.

Our export share reaches about 80% to more than 40 countries, making Bergo the world leader in multifunctional floor tiles.

## OUR FLOORING

Our floors are installed floating on existing floors without any fasteners.

A Bergo floor solves many problems thanks to the ventilating and flexible design and is particularly suitable for installations on damp surfaces, but also cracked / uneven subfloors and worn wooden decks. Our products are available in a wide range of colours, harmoniously coordinated.



WORLD LEADER IN  
MULTIFUNCTIONAL  
FLOOR TILES



[www.bergoflooring.com](http://www.bergoflooring.com)

**Bergo Flooring AB** P.O. Box 10 SE-334 21 Anderstorp Sweden +46 371 58 77 00 [info@flooring.se](mailto:info@flooring.se)

